



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T4N

R2E



Township No. IV North of the Base Line, Range No. II East of the 2nd Principal Meridian. Surveyed by Arthur Henric 1806

Quality of the land on the interior section lines

North Line continued

- 40.00 Set a half mile post from which a B. Oak 15 Inches dia. bears S 40 E 21 Lks. a Dogwood 6 Inches dia. bears S 39 W 14 Lks.
 80.00 Set post corner of Sec. N° 12. T. 1. R. 2 E from which a Beech 6 Inches dia. bears N 46 E 14 Lks. —
 Va Sugar 20 Inches dia. bears S 46 W 22 Lks. — Land the same quality —

North Line continued

- 20.00 Beech 24 Inches dia.
 24.00 Brook 10 Lks wide course North East —
 40.00 Set a half mile post from which a Beech 15 Inches dia. bears S 10 W 16 Lks. —
 Va mother Beech 10 Inches dia. bears N 45 E 11 Lks. —
 80.00 Beech 20 Inches dia. corner of Towns N° 3. 3. 4 1/4 in Ranges 243 East, this mile over level, Beech timbered. Land
 Sept 23^d 1866.

P. Boundary T. 1 N. R. 2 E.

West Between Towns N° 34 North Range 2 East of 1st Meridian — Sec 36

- 40.00 Set a half mile post from which a Beech 15 Inches dia. bears N 67 W 3 Lks. an Elm 24 Inches dia. bears N 70 E 31 Lks.
 80.00 Set post corner of Sec. N° 35 T. 36. T. 4 N. R. 2 E. from which a Hickory 5 Inches dia. bears S 43 E 6 Lks. Van Ash 8 Inches
 dia. bears N 15 W 20 Lks. — Rich broken Land — Timber Oak. Ash. Poplar & Hickory — under brush Spice —

West Line continued — Sec. 35

- 40.00 Set a half mile post from which a Dogwood 5 Inches dia. bears S 51 W 12 Lks. & a Hickory 6 Inches dia. bears
 N 76 E 23 Lks.
 80.00 Set post corner of Section N° 34 T. 35. T. 4 N. R. 2 E. from which a Beech 11 Inches dia. bears S 72 W 30 Lks.
 Va Sugar 10 Inches dia. bears S 40 E 23 Lks. — Land the same quality —

West Line continued — Sec. 34

- 31.00 Touched the North side of a Brook 20 Lks wide course South West —
 24.00 Same course North West
 31.00 Same course South West
 24.00 Same course North West

- 40.00 Set a half mile post from which a Dogwood 6 Inches dia. bears S 70 W 17 Lks. & a Beech 10 Inches dia. bears N 70 E 14 Lks.
 71.00 Same course South West
 79.00 Same course North West
 80.00 Set post corner of Section N° 33 T. 34. T. 4 N. R. 2 E. from which a B. Walnut 40 Inches dia. bears S 44 E 2 Lks.
 Locust 6 Inches dia. bears N 7 W 30 Lks. — Land the same —

West Line continued — Sec. 33

- 24.00 Set post on the bank of W. river on the Indian Boundary at the Intersection from which an Elm 40 Inches
 dia. bears S 42 W 29 Lks. — Maple 8 Inches dia. bears N 35 E 23 Lks. —
 31.95 to where the river turned N. W. Set post at the beginning of the boundary from which a Red bud 6 Inches dia.
 bears S 42 W 2 Lks. & a Hickory 8 Inches dia. bears N 44 W 7 Lks. —
 40.00 Set a half mile post from which a Beech 40 Inches dia. bears S 33 E 23 Lks. & a Red bud 8 Inches dia. bears N 32 E 11 Lks.
 80.00 Set post corner of Section N° 33 T. 33. T. 4 N. R. 2 E. from which a Hackberry 29 Inches dia. bears S 67 E 24 Lks.
 Van Elm 12 Inches dia. bears S 5 W 19 1/2 Lks. — This mile over level High Land —

West Line continued — Sec. 32

- 1.00 Set post on the Indian boundary or W. River from which a Sycamore 44 Inches dia. bears S 6 E 2 Lks.
 a Sycamore 30 Inches dia. bears N 56 E 25 Lks. — course of W. river S 75 W —
 14.50 W. River course N 69 W — Set post at the Intersection of the Boundary from which a Beech 10 Inches dia.
 S 70 W 2. & a Locust 10.
 bears N 7 W 14 Lks. —
 40.00 Set a half mile post from which a Blue Ash 8 Inches dia. bears N 53 E 6 1/2 Lks. & a Beech 10 Inches dia. bears
 S 10 E 25 Lks. —
 80.00 Set post corner of Sec. N° 31 T. 32. Town 4 N. R. 2 East from which a Sugar a Sugar 6 Inches dia. bears
 N 69 E 21 Lks. & a Sugar 7 Inches dia. bears N 19 E 8 Lks. — good farming soil —

West Line continued

8.60 Brook 50 Links wide course North

40.00 Set a half mile post from which an Ironwood 6 Inchs dia. bears N 16 W 2 1/2 Lks. & Hickory 10 Inchs dia. bears S 62 W 30 Links

51.79 Set post on the Indian Boundary from which a Beech 10 Inchs dia. bears S 25 W 26 Links

Ba Beech 8 Inchs dia. bears S 87 W 6 Links - Land the same quality - September 22nd 1806.North ^{E. Boundary of T. 4 N. R. 2 E.}
Between Towns 1 & 4 in Ranges 2 & 3 East of 2nd Meridian

12.50 Brook 200 Links wide course North, West

23.60 Same course North, East

25.00 Brook 15 Inchs dia.

40.00 Set a half mile post from which a B. Oak 10 Inchs dia. bears N 84 W 8 Lks. & W. Oak 5 Inchs dia. bears N 57 E 2 Links

48.50 Same course North

55.00 To where it turned North, West

56.00 ^{from corner of Section 25 & 36} Set post corner of Sections 25 & 36 Town 11 N. R. 2 East from which a Beech 10 Inchs dia. bears N 88 W 26 Lks. & Dogwood 5 Inchs dia. bears N 40 E 14 1/2 Links - Good Land

North Line continued

30.50 W. Oak 2 1/2 Inchs dia.

40.00 Set a half mile post from which a Gum 20 Inchs dia. bears N 24 W 20 Lks. & Beech 8 Inchs dia. bears S 9 E 22 Links

45.00 Brook 10 Links wide course North, East.

50.00 Set post corner of Sections 24 & 25 T. 4 N. R. 2 E from a Sugartree 10 Inchs dia. bears S 35 E 7 Links
Ba Beech 10 Inchs dia. bears S 77 W 13 Links - This mile over Rich broken Land -
Timber Sugar & Poplar

North Line continued

Between Towns 1 & 4 North

00.00 Sugar 12 Inchs dia.

40.00 Set a half mile post from which a W. Oak 10 Inchs dia. bears S 15 E 23 Links & Hackberry 5 Inchs dia. bears N 60 W 9 Links

43.50 Set post on the Indian boundary on the bank of M. River at the intersection corner of Sec. N. 24 T. 4 N. R. 2 E from which an Ironwood 10 Inchs dia. bears N 18 E 14 Links. Ironwood 8 Inchs dia. bears S 53 E 13 Links - This mile over level Land - Timber Oak - Elm & maple

North ^{Part of E. Boundary of T. 1 N. R. 3 E.}
Between Town 1 & 1 South in Ranges N 3 & 4 East of 2nd Meridian E. Side Sec. 25.
from 1/4 Section corner of Sec. N. 25 T. 1 N. R. 3 E

40.00 Set post corner of Sec. N. 24 & 25 T. 1 N. R. 3 E in the barrens

North Line continued E side Sec 25

12.50 Pond 5 chains 5 Links wide course South, West.

40.00 Set a half mile post from which a Hickory 10 Inchs dia. bears S 16 W 2 1/2 Lks. & Hickory 6 Inchs dia. bears N 34 E 13 Links

50.00 Set post corner of Sec. N. 24 & 13 T. 1 N. R. 3 E. from which a Hickory 10 Inchs dia. bears S 85 W 45 1/2 Links. Barren Land

North Line continued E side Sec 13

40.00 Set half mile post - no timber nigh

50.00 Set post corner of Sec N 12 & 13 T. 1 N. R. 3 E from which a W. Oak 15 Inchs dia. bears S 45 E 37 Links -
W. Oak 10 Inchs dia. bears N 48 E 60 Links - This mile over thin lousy soil - thin timber

North Line continued E side Sec 12

41.50 Brook 10 Links wide course West

52.35 W. Walnut 10 Inchs dia.

40.00 Set a half mile post from which a Gum 20 Inchs dia. bears N 12 W 11 Links W. Oak 12 Inchs dia. bears N 45 E 15 Links

2 Township N. 4. North Range N. 2 East of the Meridian

- North Between Sec. 35 & 36
- 31.54 Beech 20 In. D.
- 40.00 Set a half mile post - From which a Beech 12 In. D. bears S 10 E 48 Chs. And a Beech 12 In. Diam. bears N 3 E 12 Chs.
- 57.40 Beech 20 In. D.
- 61.50 Beech 10 Course N.
- 70.00 Same Course N. W.
- 74.15 Beech 100 Chs wide.
- 80.00 Set post corner of Sec. 25, 26, 35 & 36 - From which a Beech 20 In. D. bears S 1 E 46 D. 10
- East. Between Sec. 25 & 36 On Road.
- 8.30 Beech 100 links wide Course S. W.
- 18.50 Same Course N. W.
- 40.00 Set a temporary half mile post.
- 77.89 Intersected the N. & S. line 20 links S of Sec. corner - Land level Tim. Beech.
- West. Between Sec. 25 & 36 On true line.
- 39.94½ Set the temporary post at average distance on true line for ½ sec. corner - From which a Beech 12 In. Diam. bears N 3 E 24 links - A W. Oak 15 In. Diam. bears S 73 W 3 links.
- 77.89 Sec. corner.
- North Between Sec. 25 & 26
- 2.00 Beech 100 Ch. wide Course S. E.
- 4.10 Poplar 24 In. Diam.
- 8.30 Same Course N. W.
- 40.00 Set a half mile post - From which a Hickory 10 In. Diam. bears S 24 W 2 links - Another Hickory 12 In. Diam. bears S 10 E 10 links

2 Township N. 4. North Range N. 2 East of the Meridian

North Between Sec. 35 & 36

31.54 Beech 20 Ins. D.

40.00 Set a half mile post - From which a Beech 12 Ins. D. bears S 10 E 48 lks. And a Beech 12 Ins. Diam. bears N 3 E 12 lks.

57.40 Beech 20 Ins. D.

61.50 Beech 10 Course N.

70.00 Same Course N. W.

74.15 Brook 100 lks wide.

80.00 Set first corner of Sec. 25, 26, 35 & 36 - From which a Beech 20 Ins. D. bears S 1 E 46 D° 10

East. Between Sec. 25 & 36 On Random

8.50 Brook 100 links wide Course S. W.

18.50 Same Course N. W.

40.00 Set a temporary half mile post.

79.89 Intersected the N. & S. line 20 links S of Sec. corner - Sunset level 10 Ins. Beech.

West. Between Sec. 25 & 36 On true line.

39.94½ Set the temporary post at Average Distance on true line for ½ Sec. corner - From which a Beech 12 Ins. Diam. bears N 3 E 24 lks - A W. Ash 15 Ins. Diam. bears N 73 W 5 lks.

79.89 Sec. corner.

North Between Sec. 25 & 26

2.00 Beech 100 lks. wide Course N. E.

4.10 Poplar 24 Ins. Diam.

8.50 Same Course N. W.

40.00 Set a half mile post - From which a Hickory 10 Ins. Diam. bears S 24 W 2 lks. Another Hickory 12 Ins. Diam. bears S 10 E 10 lks.

Township N^o 4 North Range N^o 2 East of the Meridian Continued

- 20.00 Set post corner of Sec. 23, 24, 25 & 26 - From which a Beech 40 In. D^r bears N 42 E 27 links - & an Elm 8 In. Diam^r bears S 15 W 9 links - First half mile Over hilly Oak & Hickory Timbered Land - Last over good farming level land.
- East. Between Sec. 24 & 25 On Random.
- 13.00 Spring run 3 links wide Course N.
- 32.00 Same Course S. W.
- 40.00 Set a temporary half mile post.
- 46.00 Spring Course N. E.
- 53.50 Spring run 8 links wide Course North.
- 77.40 Intersected the N & S line 80 links N of Sec. corner - Land level - Timber Beech, Sugar & Hickory.
- West. Between 24 & 25 On True line.
- 37.70 Set the temporary post at average Distance On true line for $\frac{1}{2}$ Sec. corner From which a Hickory 15 In. Diam^r bears N. 41 E 16 Chs - Beech 20 S 69 E 21 links.
- 77.40 Sec. corner.
- North Between Sec. 23 & 24
- 24.63 Set post on the bank of W. River the Indian boundary - From which a W. Walnut 10 In. D^r bears S 1 E. 28 links - And a Red bud 6 In. Diam^r bears S 38 W 5 links - Land level & Rich.
- North Between Sec. 35 & 34
- 24.00 Brook 10 Chs. wide C. W.
- 50.00 Set a half mile post - From which a Walnut 15 S 35 E 21 Chs - Poplar 18 In. D^r bears S 35 E 22 Chs.
- 80.00 Set post corner of Sec. 26, 27, 34 & 35 - From which a Beech 24 In. Diam^r

Township N^o 4 North Range N^o 2 East of the Meridian Continued

- Bears N 22 E 39 Chs. And a gum 20 In. D^r bears S 60 W 5 Chs - Rich Rolling Land
- East. Between Sec. 35 & 26 On Random.
- 36.00 Brook 100 Chs. Course N.
- 40.00 Set a temporary half mile post
- 44.00 Same Course S. W.
- 63.00 Same Course N. W.
- 62.00 Same Course S. W.
- 74.00 Same Course N. W.
- 80.30 Intersected the N & South line 5 links S of Sec. corner - Land Rich.
- West. Between 35 & 26 On True line.
- 46.15 Set the temporary post at average Distance on true line for $\frac{1}{2}$ Sec. corner From which a Beech 10 In. D^r bears N 37 E 14 Chs. Another Beech 6 In. D^r bears S 45 W 13 Chs.
- 80.30 Sec. corner.
- North Between Sec. 26 & 27
- 3.80 W. Oak 20 In. Diam^r.
- 40.00 Set a half mile post - From which a Sugar 10 In. Diam^r bears N 20 W 10 Chs & a Beech 10 In. Diam^r bears N 73 W 5 links.
- 41.20 W. Walnut 20 In. Diam^r.
- 80.00 Set post corner of Sec. N^o 26, 27, 22 & 23 - From which a Beech 6 In. Diam^r bears North 11 links & a Dogwood 7 In. Diam^r bears S 52 E 10 links - This mile Over Rich Rolling Land.
- East. Between Sec. 26 & 23 On Random.
- 8.50 Brook 10 links wide Course North.
- 40.00 Set a temporary half mile post.
- 57.63 Brook 10 links wide Course North.

Township N. 4 North Range N. 2 East of the Meridian Continued

- 20.00 Intersected the S. D. S. Line at Section Corner — Land level & rich — Timber Beech, Hickory, Locust & Walnut.
- West. Between 23 & 26 Blazing.
- 20.00 Established the temporary post at Average Distance for 2 Sec. Corner From which a Hickory 10 Ins. D. bears N 60 E 29 Chs — Hackberry 24 N 48 W 13 links.
- 30.00 Sec. Corner.
- North. Between Sec. 22 & 23.
- 21.50 Set post on Bank of White River — From which a Cotton wood 6 Ins. Diam. bears S 3 E 10 links — And a Maple 6 Ins. Diam. bears S 4 W 16 Chs Land flat.
- West. Between Sec. 27 & 22
- 30.00 River Bottom.
- 40.00 Set a half mile post — From which a Hickory 6 Ins. Diam. bears N 73 W 7 Chs — B. Walnut 12 Ins. Diam. bears N 86 E 32 Chs.
- 41.57 Set post on the Bank of W. River — From which a Locust 10 N 72 E 22 links And a B. Walnut 6 Ins. D. bears S 9 E 16 Chs — This line over Rich Land Tim. Beech, Hickory, Hackberry & Walnut — Underbrush Spicewood.
- November 10th 1806.
- West. Between Sec. 34 & 27.
- 40.00 Set a half mile post — From which a Beech 20 Ins. Diam. bears S 34 W 17 — And a Dogwood 7 N 54 W 20 Chs.
- 43.00 Spring run 5 Chs. Course N. W.
- 44.25 Same Course S. W.
- 72.00 Set post on the bank of W. River — From which a Sycamore 20 Ins.

Township N. 4 North Range N. 2 East of the Meridian Continued

- Diam. bears N 23 W 27 Chs — Another Sycamore 30 Ins. Diam. bears S 5 W 32 links — Land broken.
- North. Between Sec. 33 & 34
- 1.00 Hickory 20 Ins. D.
- 5.00 Brook 40 Chs. N. W.
- 39.00 To an Elm 12 Ins. Diam. at the Intersection of this boundary on the bank of W. River — This line over very rich level land — Timber Oak, Oak & Hackberry — Underbrush Spicewood.
- North. Between Sec. 32 & 33
- 3.25 Sycamore 20 Ins. Diam.
- 3.77 Set post on the Bank of W. River — From which a Maple 7 Ins. D. bears N 36 E 6 links — Another Maple 2 Ins. Diam. bears S 51 W 9 Chs — Land the same.
- North. Between Sec. 31 & 32.
- 10.25 W. Oak 20 Ins. Diam.
- 35.00 Set post on the Indian boundary — From which a Beech 20 Ins. Diam. bears S 7 E 20 links — And an Elm 8 Ins. Diam. bears S 48 W 14 Chs — Broken Rich Land — Timber Sugar and beech
- November 12th 1806

Surveyed by

For Meanders of White River
See Vol. I. N. 6. page 27

Arthur Menrie
Deputy Surveyor.

Meanders of E. branch of White River, in T. 4 N. R. 2 E,
Left Bank.

247

Meanders of Left bank of River from con. of sec 24 & 25. T. 4 N. R. 2 E. Thence up stream.			Thence commencing at post on E. boundary of T. 4 N. R. 2 E, down stream on left bank in sec 24.		
N. 87 E	16.50	In sec 19. T. 4 N. R. 2 E.	S. 49 E	3.00	In sec 24. T. 4 N. R. 2 E.
N. 76 E	9.25		S. 60 W	5.50	
N. 57 E	15.50		S. 70 W	10.00	
N. 48 E	18.50		S. 86 W	2.50	
N. 41 E	15.00		N. 77 W	8.50	
N. 35 E	14.00		N. 61 W	6.00	
N. 43 E	5.00		N. 70 W	7.00	
N. 42 E	7.50	line between sec 19 & 20	N. 112	4.50	
N. 48 E	7.50	In sec 20	S. 52 W	4.00	
N. 62 E	11.50		S. 36 W	11.50	
N. 75 E	7.00		S. 18 W	8.50	
N. 71 E	15.00		S. 62 W	6.50	
N. 63 E	14.50		S. 85 W	3.50	
N. 87 E	9.00		N. 83 W	5.50	
S. 70 E	10.50		N. 70 W	2.50	
S. 53 E	7.50		N. 54 W	5.50	
S. 36 E	8.50		N. 22 W	1.76	line between sec 23 & 24
S. 14 E	8.50		N. 39 W	3.00	In sec 23.
S. 3 E	11.00		N. 19 W	7.00	
S. 30 W	14.00		N. 56	2.50	
S. 15 W	6.00		N. 13 E	4.50	
S. 47 W	9.00		N. 2 W	11.00	
S. 57 W	22.50		N. 55 W	7.72	
S. 47 W	7.50		S. 53 W	11.10	
S. 44 W	4.72	line between sec 20 & 29.	S. 38 W	4.40	
S. 40 W	5.00	In sec 29.	Bank	2.50	
S. 39 W	18.00		S. 49 W	7.50	
S. 27 W	7.50		S. 60 W	11.73	a ditch 100 ft wide.
S. 33 W	10.50		S. 71 W	3.87	
S. 20 W	12.00		N. 70 W	1.00	
S. 19 E	14.00		N. 112	14.75	
S. 23 E	17.00		N. 65 W	2.00	
S. 19 E	6.07	line between sec 29 & 32.	N. 112	4.25	
S. 26 E	13.50	In sec 32.	S. 70 W	3.50	
S. 39 E	8.00	To old dist. boundary.	S. 85 W	3.76	
		By Arthur Newie, in 1810.	S. 53 W	14.00	
			S. 22 W	5.64	line between sec 22 & 23

7 over

Subdivisions Town 4 N. R. 2 East		North	Between Sec. 19 & 20
North	Between Sec. 31 & 32	40.00	gr. Sec. corner Beech 12 S 83 E 36 Hickory 18 South 5
40.00	gr. Sec. corner Beech 6 S 3 E 36	56.65	Set post on the River Bank January 48 1/2 N 4 do 7 1/2 S E 34
47.50	A. Beech 10 in. diam.		Land Rich. timber same
80.00	Set post corner to Sec. 29, 30, 31, 32	West	Between Sec. 19 & 30
	Beech 20 S 5 W 24	3.00	A. Spring Run 5 lbs. N. W
	do 10 S 28 E 22	15.80	A. Beech 20 in. diam.
	Land Hilly, Beech, Poplar, Ash, Sugar P.	40.00	gr. Sec. corner Beech 7 S 34 E 20 do 7 S 11 E 24
West	Between Sec. 30 & 31	71.81	Intersected with boundary at the Sec. corner
40.00	gr. Sec. corner Beech 12 S 36 W 23		Land level Hickory, Ash, Walnut & Locust
	do 7 S 7 W 21	South	Between Sec. 19 & 2
75.90	Set post on the West boundary 98 lbs. of post	15.00	A. Poplar 20 in. diam.
	Ironwood 8 S 29 E 16	40.00	gr. Sec. corner Beech 6 North 2
	Sugar 8 S 52 E 25		No other trees
	Land the same	80.00	Set post corner to Sec. 1, 2, 11, 12
East	Between Sec. 29 & 32		Dogwood 6 S 16 E 5
17.15	A. Hickory 20 in. diam.		Beech 18 S 18 E 32
31.50	Set post on River bank Beech 24 S 82 W 31		Land Very Hilly, Oak, Hickory & some Chestnut
	B. Walnut 12 S 82 E 10	East	Between Sec. 4 & 12 On Random
	Land the same	40.00	Temporary gr. Sec. post
North	Between Sec. 29 & 30	48.50	A. Beech 12 lbs. South
10.00	A. Beech 5 lbs. East	80.25	Intersected N & S line 10 lbs. S. of post
40.00	gr. Sec. corner Beech 12 S 9 W 18		Land & Timber same
	Sugar 7 S 6 E 14	West	Corrected
68.50	A. Sugar 18 in. diam.	40.12 1/2	gr. Sec. corner Ironwood 6 S 30 W 32
80.00	Set post corner to Sec. 19, 20, 29, 30		Beech 20 S 33 W 22
	Beech 10 S 20 E 22	80.25	Section corner
	do 12 S 3 E 30	South	Between Sec. 11 & 12
	Land the same	40.00	gr. Sec. corner W. Oak 15 S 7 E 26
East	Between Sec. 20 & 29		Dogwood 7 S 25 W 7
40.00	gr. Sec. corner Hickory 6 S 38 W 4	80.00	Set post corner to Sec. 11, 12, 13, 14
	A. Walnut 12 S 58 E 7		Beech 10 S 5 W 39
46.30	A. W. Ash 14 in. corner on the River		do 10 S 45 E 16
	Land the same		Land level, Beech, Poplar P.

East	Between Sec. 12 & 13 On Random	66.25	A. Sugar 18 in. diam.
40.00	Temporary gr. Sec. post	80.00	Set post corner to Sec. 2, 3, 10, 11
48.60	A. Beech 20 lbs. South		Poplar 5 S 11 30 W 3
80.45	Intersected N & S line 35 lbs. South of post		Mulberry 8 S 76 E 6
	Land level, Beech, Poplar P.		Good level land, Walnut, Ash P.
West	Corrected	East	Between Sec. 2 & 11 On Random
40.22 1/2	gr. Sec. corner Beech 15 S 18 E 7	13.50	A. Beech 10 lbs. N. W
	do 20 S 69 W 24	40.00	Temporary gr. Sec. post
80.45	Section corner	80.00	Intersected N & S line at the corner
South	Between Sec. 13 & 14		Land the same
8.22	A. Beech 25 lbs. S. W	West	Corrected
40.00	gr. Sec. corner Beech 10 S 41 E 12	40.00	gr. Sec. corner Beech 20 S 87 W 128
	do 10 S 14 W 10		do 20 S 45 E 19
80.00	Set post corner to Sec. 13, 14, 23, 24	80.00	Section corner
	Mulberry 20 S 11 W 48	South	Between Sec. 10 & 11
	Ironwood 8 S 5 E 30	40.00	gr. Sec. corner Beech 10 S 33 W 12
	Land the same		Dogwood 6 S 19 W 28
South	Between Sec. 23 & 24	80.00	Set post corner to Sec. 10, 11, 14, 15
1.50	A. Beech 25 lbs. S. E		Beech 10 S 41 W 25
18.24	To a Hickory 15 in. diam. corner on the River		Sugar 18 S 24 E 20
	Bank. Land the same		Land Hilly timber the same
East	Between Sec. 13 & 24 On Random	East	Between Sec. 11 & 14 On Random
40.00	Temporary gr. Sec. post	40.00	Temporary gr. Sec. post
80.95	Intersected N & S line 60 lbs. South of post	80.10	Ironwood N & S line 10 lbs. South of post
	Land Rich & level		Land the same
West	Corrected	West	Corrected
40.47 1/2	gr. Sec. corner Hickory 18 S 21 E 16	40.05	gr. Sec. corner Sugar 10 S 43 E 14
	do 10 S 15 E 29		Jun 10 S 51 W 20
80.45	Section corner	80.10	Section corner
South	Between Sec. 24 & 3	South	Between Sec. 14 & 15
12.75	A. Beech 75 lbs. S. W	23.00	A. Beech 10 lbs. S. W
40.00	gr. Sec. post. Poplar 40 S 11 E 20	40.00	gr. Sec. corner Beech 10 S 34 W 13
	Beech 10 S 40 E 31		Sugar 10 S 34 W 13
57.00	A. Beech 10 lbs. West	72.40	A. W. Ash 20 in. diam.

80.00 Set post corner to Sec^s 14, 15, 22, 23
 W. Ash 10 S 47 E 11
 Walnut 10 N 5 W 17

Land the same

East Between Sec^s 14 & 23 On Random

20.00 A. Brook 12 lbs. South

40.00 Temporary g^r. Sec. post

72.00 A. Brook 75 lbs. S. E

80.85 Intersected N. E. line 12 lbs. South of post

Land level the best - mile Rich

West Corrected

40.42 g^r. Sec. corner Sugar 20 S 45 W 10
 do 18 S 52 E 12

80.85 Section corner

South Between Sec^s 22 & 23

40.00 g^r. Sec. corner Hickory 20 S 22 W 19
 Mulberry 10 S 14 E 30

49.50 A. Spruce 40 in. diam.

50.76 Set post on the River Bank

Sycamore 30 S 4 E 16

Mulberry 6 S 14 E 16

Land level & rich, Ash, Oak, Hickory &c

South Between Sec^s 3 & 4

40.00 g^r. Sec. corner Ironwood 6 S 52 E 9
 Birch 8 S 13 W 22

78.00 A. Brook 75 lbs. South

80.00 Set post corner to Sec^s 3, 4, 7, 10

Ironwood 6 S 32 E 10

do 4 S 14 W 12

Land a very steep hill, Oak, Birch, Ash, Hickory &c

East Between Sec^s 3 & 10 On Random

40.00 Temporary g^r. Sec. post

80.00 Intersected N. E. line 15 lbs. South of post

Land the same

West Corrected

40.00 g^r. Sec. corner Beech 10 S 29 W 12
 Dogwood 6 S 84 E 15

80.00 Section corner

South Between Sec^s 7 & 10

40.00 g^r. Sec. corner W. Oak 20 S 47 E 11
 Hickory 10 S 162 W 19

80.00 Set post corner to Sec^s 7, 10, 15, 16

Maple 18 S 84 E 20

Birch 12 S 72 W 32

Land very hilly

East Between Sec^s 10 & 15 On Random

3.00 A. Brook 10 lbs. S. E

15.00 A. Brook 10 lbs. South

40.00 Temporary g^r. Sec. post

70.75 A. Brook 10 lbs. South

80.00 Intersected N. E. line 8 lbs. South of post

West Corrected

40.00 Temporary g^r. Sec. corner Beech 10 S 4 W 5
 do 10 S 51 W 16

80.00 Section corner

South Between Sec^s 15 & 16

11.80 A. Brook 24 in. diam.

40.00 g^r. Sec. corner Beech 10 S 3 W 16
 do 7 S 15 W 22

80.00 Set post corner to Sec^s 15, 16, 21, 22

Birch 10 S 77 W 17

Sugar 10 S 62 E 7

Good farming land. Same timber. Very fine

East Between Sec^s 15 & 22 On Random

40.00 Temporary g^r. Sec. post

57.25 A. Brook 18 lbs. South

80.75 Intersected N. E. line 10 lbs. South of post

Land the same

West Corrected Between Sec^s 15 & 22

40.42 g^r. Sec. corner Beech 20 S 47 W 25
 do 7 S 24 E 3

80.95 Section corner

South Between Sec^s 21 & 22

40.00 g^r. Sec. corner Maple 20 S 22 E 15
 Ironwood 8 S 86 W 9

80.00 Set post corner to Sec^s 21, 22, 27, 28

Ash 12 S 20 W 39

Birch 20 S 50 E 16

Land level & rich. timber the same

East Between Sec^s 22 & 27

36.67 Set post on the River Bank

Hickory 10 S 13 W 5

do 6 S 58 E 10

Land the same

South Between Sec^s 27 & 28

25.00 A. Oak 5 in. diam.

40.00 g^r. Sec. corner W. Oak 12 S 15 E 9
 Hickory 10 S 46 W 9

42.50 A. Elm 12 in. diam.

80.00 Set post corner to Sec^s 27, 28, 33, 34

Hickory 10 S 26 E 20

Ironwood 6 S 8 W 17

Land the same

East Between Sec^s 27 & 34

6.72 Set post on the River Bank

Beech 12 S 21 E 6

Ironwood 6 S 14 W 5

Land the same

South Between Sec^s 33 & 34

8.00 A. Brook 20 in. diam.

25.74 Set post on the River Bank

Cottonwood 8 S 72 E 66

Land the same

South Between Sec^s 4 & 5

4.50 A. Brook 10 lbs. West

34.00 A. Brook 8 lbs. North

40.00 g^r. Sec. corner Chestnut 18 S 50 W 20
 Birch 6 S 47 W 4

50.25 A. W. Oak 10 in. diam.

80.00 Set post corner to Sec^s 4, 5, 8, 9

Birch 12 S 71 W 22

W. Ash 12 S 42 E 25

Land very hilly. timber the same

East Between Sec^s 4 & 9 On Random

40.00 Temporary g^r. Sec. post

60.00 A. Brook 75 lbs. S. W

80.00 Intersected N. E. line 12 lbs. South of post
 Land the same

West Corrected

40.00 g^r. Sec. corner Beech 10 S 48 W 29
 Sugar 10 S 44 E 25

80.00 Section corner

South Between Sec^s 8 & 9

40.00 g^r. Sec. corner W. Oak 18 S 38 E 13

do 7 S 41 W 17

80.00 Set post corner to Sec^s 8, 9, 14, 17

Birch 20 S 53 W 9

do 12 S 8 W 26

Land the same

East Between Sec^s 9 & 16 On Random

7.50 A. Brook 75 lbs. South

40.00 Temporary g^r. Sec. post

80.00 Intersected N. E. line 12 lbs. North of post

Land the same

West Corrected

40.00 g^r. Sec. corner Hickory 10 S 22 W 16
 Maple 12 S 17 W 23

80.00 Section corner

West	Corrected Between Sec ^s 5 & 8	South	Between Sec ^s 17 & 18
40.00	gr. Sec. Corner W. Ash 8 ft 40 E 14 Cherry 10 ft 0 E 9	18.20	A. W. Ash 12 in. diam.
80.00	Section Corner	27.00	A. Brook 75 lbs. S. W
West	Between Sec ^s 6 & 7	40.00	gr. Sec. Corner Sugar 12 ft 0 E 11 do 10 ft 6 S 17 W 15
3.50	A. Poplar 20 in. diam.	80.00	Set post corner to Sec ^s 17, 18, 19, 20 Beech 8 ft 15 W 10 do 6 ft 30 W 9
50.00	gr. Sec. Corner Beech 5 ft 15 E 3 Ash 12 ft 7 W 6	Same the Same	
70.55	Set post on the West Boundary 2 1/2 lbs. S of post Beech 18 ft 75 E 17 do 18 ft 6 W 14	East	Between Sec ^s 17 & 20
	Same Hill. Beech. Poplar. Oak & Hickory	28.25	Set post on the River Bank W. Ash 20 ft 5 S 17 W 34 Syc 24 ft 7 E 17
South	Between Sec ^s 7 & 8	Same very Hill	
40.00	gr. Sec. Corner Beech 10 ft 24 E 13 do 20 ft 1 S 12	South	Between Sec ^s 19 & 20
47.80	A. Brook 75 lbs. S. W	22.18	To a Beech on the River Bank 10 in. diam.
80.00	Set post corner to Sec ^s 7, 8, 17, 18 Beech 5 ft 2 W 12 do 6 ft 18 E 14	Same the Same	
	Same the Same	West	Between Sec. 18 W 19
East	Between Sec ^s 8 & 17 on Parcel land	40.00	gr. Sec. Corner Beech 20 ft 38 W 18 do 6 ft 60 W 18
40.00	Temporary gr. Sec. post	68.64	Set post on the N. Boundary 188 lbs S of post Sugar 6 ft 7 W 23 do 10 ft 80 E 38
80.45	Intersected N & S Line 12 lbs S. of post Same the Same	Same S. the Same	
West	Corrected	Surveyed by Arthur Morris D. S.	
40.22	gr. Sec. Corner W. Ash 11 ft 5 E 13 9		
80.45	Section Corner		
West	Between Sec ^s 7 & 18		
14.00	A. Sugar 18 in. diam.		
40.00	gr. Sec. Corner Beech 6 ft 4 E 5 do 8 ft 58 W 7		
48.00	A. Brook 75 lbs. South		
69.11	Set post on the N. Boundary 139 lbs S of post Beech 10 ft 43 E 23 do 20 ft 63 W 10		
	Same the Same		

{ In Meanders of White River in
this Town. See this Vol. pages
247 & 248 }

T 414

R 2 E



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,


The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Jackson County are stored on microfilm Reel 7545 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Township N^o IV North of the Base Line, Range N^o II East of the 2nd Principal Meridian. Surveyed by Arthur Henric 1806 1/2

Quality of the land on the interior section lines

Between Sections	Quality of the soil & timber	Between Sections	Quality of the soil & timber	Between Sections	Quality of the soil & timber
35. 36	"	27. 28	Level & rich; Oak, beech, ash & hickory.	19. 20	Rich &c
25. 36	Level; Beech	22. 27	Rich; beech, walnut &c	17. 20	Hilly; beech, poplar, oak & hickory
25. 26	Out hilly, & part good farming land; oak	21. 22	Level & rich; oak, beech, ash & hickory	17. 18	Same
24. 25	Level; Beech & sugar	18. 22	Good farming land; timber same	8. 17	Same
23. 24	Level & rich; beech & poplar	15. 16	Same	7. 8	Same
13. 24	Rich & level bottom	10. 15	"	5. 8	Same
13. 14	Bottom, beech, poplar &c	9. 10	Very hilly	5. 6	Same
12. 13	Bottom	3. 10	Hilly; oak, beech, ash & hickory	6. 7	Same
11. 12	1/2 hilly; 1/2 bottom, beech, poplar &c	3. 4	Same	7. 18	Same
1. 12	Very hilly; oak, hickory & chestnut	28. 33	Rich & level; ash, oak &c	18. 19	Same
1. 2	Very hilly; oak, hickory & chestnut	28. 33	Hilly & rich; oak, hickory &c	19. 20	Level; Hackberry, ash, walnut & locust
34. 35	Rich & rolling	28. 29	Same	30. 31	Hilly; beech, poplar, oak & hickory
26. 35	Rich	21. 28	Same		
26. 27	Rich & rolling	20. 21	"		
23. 26	Level & rich; beech, locust, Walnut &c	18. 21	Hilly; beech, poplar &c		
22. 23	Rich & level; ash, oak, hickory &c	16. 17	Same		
14. 23	Level, East half rich	9. 16	Same		
14. 15	Hilly; Walnut & ash	8. 9	Same		
11. 14	Same	4. 9	Same		
10. 11	Same	4. 5	Same		
2. 11	Good land; Walnut & ash	31. 32	Rich & broken; sugar, beech &c		
2. 3	Same	29. 32	Hilly & rich; oak, hickory &c		
33. 34	Rich & level; Ash, oak &c	29. 30	Same		
27. 34	Broken		part level, & part hilly		

North Line continued

40.00 Set a half mile post from which a B. Oak 15 Inches dia. bears S 40 E 21 Lks. a Dogwood 6 Inches dia. bears S 39 W 14 Lks.

80.00 Set post corner of sec. N° 12 T. 1. Town 3 N. R. 2 E from which a Beech 6 Inches dia. bears N 46 E 14 Lks. —
a Sugar 20 Inches dia. bears S 46 W 22 Lks. — Land the same quality.

North Line continued

20.00 Beech 24 Inches dia.

24.00 Brook 10 Lks wide course North East —

40.00 Set a half mile post from which a Beech 15 Inches dia. bears S 10 W 16 Lks. —

a mother Beech 10 Inches dia. bears N 45 E 11 Lks. —

80.00 Beech 20 Inches dia. corner of Towns N° 3, 3, 4 1/4 in Ranges 243 East, this mile over level, Beech Timbered Land
Apr 23^d 1866.

P. Boundary, T. 1 N. R. 2 E.

West Between Towns N° 34 North Range 2 East of 2^d Meridian — Sec. 36

40.00 Set a half mile post from which a Beech 15 Inches dia. bears N 67 W 3 Lks. an Elm 24 Inches dia. bears N 70 E 31 Lks.

80.00 Set post corner of Sec. N° 35 T. 36. T. 4 N. R. 2 E. from which a Hickory 5 Inches dia. bears S 43 E 6 Lks. an Ash 8 Inches dia. bears N 15 W 20 Lks. — Rich broken Land — Timber Oak, Ash, Poplar, Hickory — under brush Spruce —

West Line continued — Sec. 35

40.00 Set a half mile post from which a Dogwood 5 Inches dia. bears S 31 W 12 P. a Hickory 6 Inches dia. bears N 76 E 23 Lks.

80.00 Set post corner of Section N° 34 T. 35. T. 4 N. R. 2 E. from which a Beech 14 Inches dia. bears S 72 W 30 Lks.
a Sugar 10 Inches dia. bears S 40 E 23 Lks. — Land the same quality.

West Line continued — Sec. 34

21.00 Touched the North side of a Brook 20 Lks wide course South West —

24.00 Same course North West

27.00 Same course South West

34.00 Same course North West

40.00 Set a half mile post from which a Dogwood 6 Inches dia. bears S 70 W 17 Lks. a Beech 10 Inches dia. bears N 70 E 14 Lks.

71.00 Same course South West

79.00 Same course North West

80.00 Set post corner of Sections N° 33 T. 34. T. 4 N. R. 2 E. from which a B. Walnut 40 Inches dia. bears S 44 E 2 Lks.
Locust 6 Inches dia. bears N 7 W 30 Lks. — Land the same —

West Line continued — Sec. 33

24.00 Set post on the bank of W. river on the Indian Boundary at the Intersection from which an Elm 40 Inches dia. bears S 42 W 29 Lks. — Maple 8 Inches dia. bears N 35 E 23 Lks. —

31.95 to where the river turned N. W. Set post at the crossing of the boundary from which a Redbud 6 Inches dia. bears S 42 W 2 Lks. a Hickory 8 Inches dia. bears N 44 W 7 Lks. —

40.00 Set a half mile post from which a Beech 40 Inches dia. bears S 33 E 23 Lks. a Redbud 8 Inches dia. bears N 22 E 2 Lks.

80.00 Set post corner of Sections N° 33 T. 32. T. 4 N. R. 2 E. from which a Hickory 29 Inches dia. bears S 67 E 24 Lks.
an Elm 12 Inches dia. bears S 5 W 19 Lks. — This mile over level Rich Land —

West Line continued — Sec. 32

1.00 Set post on the Indian boundary on W. River from which a Sycamore 40 Inches dia. bears S 6 E 2 Lks.
a Sycamore 30 Inches dia. bears N 56 E 28 Lks. — course of W. river S 75 W —

14.50 W. River course N 69 W — Set post at the Intersection of the Boundary, from which a Beech 10 Inches dia. bears N 70 W 2 Lks. — a ~~10~~ 10.
bears N 7 W 14 Lks. —

40.00 Set a half mile post from which a Blue ash 8 Inches dia. bears N 55 E 6 Lks. a Beech 10 Inches dia. bears S 10 E 25 Lks. —

80.00 Set post corner of Sec. N° 31 T. 32. Town 4 N. R. 2 East from which a Sugar a Sugar 6 Inches dia. bears N 69 E 21 Lks. a Sugar 7 Inches dia. bears N 19 E 8 Lks. — good farming Soil —

West Line continued

2.60 Brook 50 Links wide course North

10.00 Set a half mile post from which an Ironwood 6 Inchs dia. bears N 16 W 2 Lks. & a Hickory 10 Inchs dia. bears S 62 W 30 Links

14.75 Set post on the Indian Boundary, from which a Beech 10 Inchs dia. bears S 25 W 26 Links

& a Beech 8 Inchs dia. bears S 87 W 6 Links - Land the same quality - September 24th 1806.

North ^{E. Boundary of T. 4 N. R. 2 E.}
Between Towns 1 & 4 in Ranges 2 & 3 East of 2nd Meridian -

2.50 Brook 200 Links wide course North, West

35.00 Same course North, East

25.00 Beech 15 Inchs dia.

10.00 Set a half mile post from which a B. Oak 10 Inchs dia. bears N 84 W 8 Lks. & a W. Oak 5 Inchs dia. bears N 57 E 2 Links

18.50 Same course North

55.00 To where it turned North, West

64.50 ^{same course North}
To where it turned N. W.

68.00 Set post corner of Sections 25 & 36 Town 11. N. R. 2 East from which a Beech 10 Inchs dia. bears N 88 W 26 Lks. & a Dogwood 5 Inchs dia. bears N 40 E 14 1/2 Links - Good Sand

North Line continued

1.50 W. Oak 24 Inchs dia.

2.00 Set a half mile post from which a Gum 20 Inchs dia. bears N 24 W 20 Lks. & a Beech 8 Inchs dia. bears S 9 E 22 Links

45.00 Brook 10 Links wide course North, East.

50.00 Set post corner of Sections 21 & 25 T. 4 N. R. 2 E from a Sugartree 10 Inchs dia. bears S 35 E 7 Links & a Beech 10 Inchs dia. bears S 77 W 13 Links - This mile over Rich broken Sand - Timber Sugar & Poplar

North Line continued

Between Towns 1 & 4 North

11.00 Sugar 12 Inchs dia.

10.00 Set a half mile post from which a W. Oak 10 Inchs dia. bears S 15 E 23 Links & a Hackberry 5 Inchs dia. bears N 60 W 9 Links

13.50 Set post on the Indian boundary on the bank of W. River at the intersection corner of Sec. N. 24 T. 4 N. R. 2 E from which an Ironwood 10 Inchs dia. bears N 18 E 14 Links. Ironwood 8 Inchs dia. bears S 53 E 13 Links - This mile over level Land - Timber Ash Elm & maple

North ^{Part of E. Boundary of T. 1 N. R. 3 E.}
Between Town 1 & 1 South in Ranges N 3 & 4 East of 1st Meridian E. side Sec. 25.
from 1/4 section corner of Sec. N. 25 T. 1 N. R. 3 E

10.00 Set post corner of Sec. N. 24 & 25 T. 1 N. R. 3 E in the barrens

North ^{continued} E side Sec 24

13.50 Pond 5 chains 5 Links wide course South, West.

10.00 Set a half mile post from which a Hickory 10 Inchs dia. bears S 16 W 12 Lks. & a Hickory 6 Inchs dia. bears N 34 E 13 Lks

80.00 Set post corner of Sec. N. 24 & 25 T. 1 N. R. 3 E. from which a Hickory 10 Inchs dia. bears S 85 W 15 1/2 Links & a Poplar 5 Links

North Line continued E side Sec 13.

10.00 Set half mile post - no timber nigh

80.00 Set post corner of Sec N 12 & 13 T. 1 N. R. 3 E from which a W. Oak 15 Inchs dia. bears S 45 E 37 Links - W. Oak 10 Inchs dia. bears N 48 E 60 Links - This mile over thin knobby soil - thin timber

North Line continued E side Sec 12.

11.50 Brook 10 Links wide course West

33.35 W. Walnut 10 Inchs dia.

10.00 Set a half mile post from which a Gum 20 Inchs dia. bears N 42 W 41 Links. W. Oak 12 Inchs dia. bears N 45 E 15 Lks

Meanders in T. 4 N. R. 2 E. Continued.
Left bank continued.

Q.22 m	2.00	In Sec. 22.	Q.86.	6.45	
Q.32 m	3.50		Q.33 E	3.00	
Q.79 m	5.00		Q.13 E	7.00	
N.72 m	5.50		Q.17 m	2.06	
N.45 m	5.50		Q.27 m	6.02	
N.53 m	1.37	To old boundary line.	Q.38 m	4.50	
N.33 m	1.00		Q.29 m	1.81	
N.23 m	2.91		Q.56 m	4.21	line between Sec 33 & 34.
N.8 m	4.50		Q.52 m	6.56	In Sec 33.
N.12 E	6.16		Q.45 m	3.70	
N.28 E	5.27		Q.77 m	4.92	
N.48 m	5.05		Q.66 m	3.70	
N.83 m	7.24		Q.52 m	3.23	
S.61 m	4.31		Q.39 m	1.50	
Q.25 m	6.33		Q.16 m	7.00	
Q.13 m	1.63		Q.6 m	8.29	a creek 60 ft wide.
Q.24 m	3.77		Q.11 m	1.46	
Q.2 m	8.64		Q.11 m	4.95	
Q.14 m	9.82		Q.39 m	2.65	
Q.35 m	5.76		Q.70 m	.94	To post in S. boundary.
Q.29 m	1.25	To old boundary again. Then are some courses & distances wanting to reach the line between Sec. 22 & 23. "S. m."			From post in S. boundary on N. side of bend, thence down stream
Q.22 m	8.67	In Sec. 27	N.60 m	4.07	In Sec 33
Q.39 m	2.46		N.34 m	5.00	
Q.25 m	15.00		N.5 m	7.35	
Q.30 m	6.29		N.5 E	1.93	
Q.15 m	3.27		N.14 E	2.25	
South	6.15		N.15 m	6.16	
Q.11 m	10.76		N.51 m	2.50	
Q.4 E	1.00		N.77 m	2.50	
Q.12 m	2.30		Q.87 m	1.86	
Q.17 m	7.28		Q.63 m	14.39	
Q.29 m	2.82		Q.54 m	5.61	
Q.34 m	17.94		Q.46 m	16.11	To post in S. boundary.
S.57 m	.59	line between Sec 27 & 34			From post in S. boundary on N. side of bend, thence down stream
S.200	10.66	In Sec 34 Line S. 180°	N.72 m	4.35	In Sec 32.
			N.58 m	19.20.	

Continued on page 348.

Township N. 4 North, Range N. 2 East 2nd Mer.

(Field Notes cont. from Vol. 1
N. & E. - page... 111)

Range line - var. 6° 30' E
North Between Ranges 2 & 3 E Town 4 N.
On East side of Sec. 24 T. 4 R. 3.
Began at old corner of Sec. 24 & 25
40.00 old of Sec. post
44.00 To post on the river - South side
53.21 Set post on NW bank of river -
Red bud 8 S 15 N 7
Locust 20 N 8 E 24
80.00 Set post cor. of Sec. 13 & 24

Hackberry 20 South 43

Elm 20 S 58 W 23

North On the East Side of Sec. 13
30.00 A. Beech 20 in. diam.
40.00 gr. Sec. corner Beech 15 S 5 W 45
Elm 12 S 76 W 16
76.00 A. Spring run 3 lbs. S. W
80.00 Set post corner of Sec. 12 & 13
Beech 8 S 12 W 10
do 8 N 22 E 13

Sand Chick & redling. Poplar. Beech 8

North On the East Side of Sec. 13
28.00 A. Beech 4 lbs West
40.00 gr. Sec. corner Hickory 10 S 80 W 28
Beech 8 S 79 W 25
40.00 A. W. Oak 20 in. diam.
71.50 A. W. Oak 23 in. diam.
80.00 Set post corner to Sec. 18 & 19
W. Oak 15 S 73 W 7
Ironwood 6 S 8 E 40
Sand Wily. Timber Oak & Hickory

North Line continued

5.50 A. Beech 10 lbs West

40.00 gr. Sec. corner Beech 8 S 58 E 11

do 6 S 75 W 4

72.00 A. Beech 12 lbs. S. W

77.00 Spruce S. E

80.00 Set post corner of Town 4 N in Range 2 & 3 E

Beech 6 S 34 W 7

Dogwood 6 S 51 W 13

Sand Wily. Wily. Oak & Hickory

Surveyed by Arthur Morris D.S.

Town Line.

East Random on S. side of Sec. 31
T. 4 N. R. 2 E.

40.00 Set temp. 14 post.

75.16 Tell N. of Cor. to Sec. 31 & 32.

West True line S. side Sec. 31

Var. 5° 45' E.

40.00 Set 14 post, from which

Mulberry 20 S 18 E 7

Hackberry 8 N 8 W 20

75.16 Town Corner.

Township N. 3 North Range N. 2 East of the Meridian Continued.

- 40.00 Set a temporary half mile post.
 41.00 Intersected the A.D.S. Line 60 Chs N of Sec. Corner - Land very rich & hilly.
 West. Between 3010 On True Line.
 46.00 Set the temporary post at Average Distance on true line for $\frac{1}{2}$ Sec. Corner.
 From which a Sugar 15 Ins. Diam. bears N 34 W 17 Chs - D 20 Ins. D.
 Bears S 68 E 26 Chs.
 51.00 Section corner.

November 17th 1806.

- North Between Secs 28 & 29.
 5.00 Beech 20 Ins. D.
 40.00 Set a half mile post - From which a Blue Ash 10 Ins. Diam. bears S 8 E 34 Chs - Another Blue Ash 7 Ins. D. bears N 24 W 27 Chs.

- 76.50 Set post on the North boundary - From which a Locust 15 Ins. D. bears S 2 E 16 Chs - Boxelder 5 Ins. N 40 E 11 Chs - Land hilly and very rich.

Meanders of the Left bank of White R. from post in N. boundary thence down stream.

- S. 70 W 4.31 in Sec. 28.
 West 2.50
 N. 84 W 3.30
 N. 60 W 1.40
 N. 55 W 1.07 To post in N. boundary at side of Bend.

- From post in N. boundary again
 S. 70 W 7.13
 S. 83 W 4.69
 S. 77 W 3.50
 N. 47 W 6.64 to a Birch 8 in dia. marked for bearing here in the N. boundary of T. 3 N. R. 2 E.

Surveyed by

Arthur Kenic

Deputy Surveyor

Township N. 4 North Range N. 2 East of the Meridian

- North Between Secs 35 & 36.
 31.54 Beech 20 Ins. D.
 40.00 Set a half mile post - From which a Beech 12 Ins. D. bears S 10 E 58 Chs - And a Beech 12 Ins. Diam. bears N 5 E 12 Chs.
 59.40 Beech 20 Ins. D.
 61.50 Beech 10 Course N.
 70.00 Same Course N. W.
 74.15 Brook 100 Chs wide.
 80.00 Set post corner of Sec. 25, 26, 35 & 36 - From which a Beech 20 Ins. D. bears S 1 E 46 D 10
 East. Between Secs 25 & 36 On Random.
 8.50 Brook 100 links wide Course S. W.
 18.50 Same Course N. W.
 40.00 Set a temporary half mile post.
 79.89 Intersected the A.D.S. line 20 links N of Sec. corner - Land level Tim. Beech.
 West. Between Secs 25 & 36 On True line.
 39.94 Set the temporary post at Average Distance on true line for $\frac{1}{2}$ Sec. corner.
 From which a Beech 12 Ins. Diam. bears N 3 E 24 links - A W. Ash 15 Ins. Diam. bears N 75 W 5 links.
 79.89 Sec. corner.
 North Between Secs 25 & 26.
 2.00 Beech 100 Ch. wide Course N. E.
 4.10 Poplar 24 Ins. Diam.
 8.50 Same Course N. W.
 40.00 Set a half mile post - From which a Hickory 10 Ins. Diam. bears S 84 W 2 links - Another Hickory 12 Ins. Diam. bears S 10 E 10 links.

Township N^o 4 North Range N^o 2 East of the Meridian Continued

- 20.00 Set post corner of Sec. 23, 24, 25 & 26 - From which a Beech 40 In. D^r bears
S 42 E 27 links - 1 cm Elm 3 In. Diam^r Bears S 18 W 9 links - First half
mile Over hilly Oak & Hickory Timbered Land - Last over good far-
-ming level land.
- East. Between Sec. 24 & 25 On Random.
- 13.00 Spring run 3 links wide Course N.
- 32.00 Same Course S. W.
- 40.00 Set a temporary half mile post.
- 46.00 Spring Course S. E.
- 53.00 Spring run 8 links wide Course North.
- 74.00 Intersected the N. & S. line 20 links N of Sec. corner - Land level - Timber
Beech, Sugar & Hickory.
- West. Between 24 & 25 On True line.
- 39.70 Set the temporary post at average Distance On true line for $\frac{1}{4}$ Sec. corner
From which a Hickory 15 Ins. Diam^r Bears N. 41 E 16 Chs - Beech 20
S 69 E 21 links.
- 77.40 Sec. corner.
- North. Between Sec. 23 & 24
- 25.63 Set post on the bank of W. River the Indian boundary - From which
a Walnut 10 In. D^r bears S 1 E 28 links - And a Red bud 6 Ins
Diam^r bears S 32 W 5 links - Land level & Rich.
- North. Between Sec. 33 & 34
- 24.00 Brook 10 Chs. wide C. W.
- 30.00 Set a half mile post - From which a Walnut 15 S 35 E 21 Chs -
Poplar 12 Ins D^r bears S 35 E 22 Chs.
- 80.00 Set post corner of Sec. 26, 27, 34 & 35 - From which a Beech 24 In. Diam^r

Township N^o 4 North Range N^o 2 East of the Meridian Continued

- Bears N 22 E 39 Chs. And a Gum 20 Ins. D^r Bears S 60 W 5 Chs - Rich Rolling Land
- East. Between Sec. 33 & 26 On Random.
- 36.00 Brook 100 Chs. Course N.
- 40.00 Set a temporary half mile post
- 44.00 Same Course S. W.
- 63.00 Same Course S. W.
- 68.00 Same Course S. W.
- 74.00 Same Course S. W.
- 80.30 Intersected the N. & South line 5 links S of Sec. corner - Land Rich.
- West. Between 35 & 26 On True line.
- 46.15 Set the temporary post at average Distance on true line for $\frac{1}{4}$ Sec. corner
From which a Beech 10 Ins Diam^r Bears S 37 E 14 Chs. Another Beech
6 Ins D^r bears S 45 W 13 Chs.
- 80.30 Sec. corner.
- North. Between Sec. 26 & 27
- 3.20 W. Oak 20 Ins Diam^r.
- 40.00 Set a half mile post - From which a Sugar 10 In. Diam^r bears N 20 W 10 Chs
A Beech 10 In. Diam^r Bears N 73 W 5 links.
- 46.20 B. Walnut 20 Ins Diam^r.
- 80.00 Set post corner of Sec. N^o 26, 27, 22 & 23 - From which a Beech 6 In. Diam^r
Bears North 11 links & a Dogwood 7 Ins Diam^r Bears S 52 E 10 links - This
mile Over Rich Rolling Land.
- East. Between Sec. 26 & 23 On Random.
- 3.50 Brook 10 links wide Course North.
- 40.00 Set a temporary half mile post.
- 77.63 Brook 10 links wide Course North.

Township N^o 4 North Range N^o 2 East of the Meridian Continued

- 20.00 Set post corner of Sec. 23, 24, 25 & 26 - From which a Beech 40 In. D^r bears S 42 E 27 links - An Elm 3 In. Diam^r bears S 15 W 9 links - First half mile Over hilly Oak & Hickory Timbered Land - Last over good farming level land.
- East. Between Sec. 24 & 25 On Random.
- 15.00 Spring run 3 links wide Course N.
- 32.00 Same Course S. W.
- 40.00 Set a temporary half mile post.
- 46.00 Spring Course N. E.
- 53.50 Spring run 8 links wide Course North.
- 79.40 Intersected the N. & S. line 50 links N of Sec. corner - Land level - Timber Beech, Sugar & Hickory.
- West. Between 24 & 25 On True line.
- 39.70 Set the temporary post at average Distance On true line for 1/2 Sec. corner - From which a Hickory 15 In. Diam^r bears N. 41 E 16 Chs - Beech 20 S 69 E 21 links.
- 79.40 Sec. corner.
- North. Between Sec. 23 & 24
- 24.63 Set post on the bank of W. River the Indian boundary - From which a B. Walnut 10 In. D^r bears S 1 E 28 links - And a Red bud 6 In. Diam^r bears S 38 W 5 links - Land level & Rich.
- North. Between Sec. 35 & 36
- 24.00 Brook 10 Chs. wide C. 10
- 40.00 Set a half mile post - From which a Walnut 15 S 36 E 21 Chs - Poplar 18 In. D^r bears S 35 E 22 Chs.
- 80.00 Set post corner of Sec. 26, 27, 34 & 35 - From which a Beech 24 In. Diam^r

Township N^o 4 North Range N^o 2 East of the Meridian Continued

- Bears N 22 E 39 Chs. And a Gum 20 In. D^r bears S 60 W 5 Chs - Rich Rolling Land
- East. Between Sec. 35 & 26 On Random.
- 35.00 Brook 100 Chs. Course N.
- 40.00 Set a temporary half mile post
- 44.00 Same Course S. W.
- 63.00 Same Course N. W.
- 68.00 Same Course S. W.
- 74.00 Same Course N. W.
- 80.30 Intersected the N. & South line 5 links S of Sec. corner - Land Rich.
- West. Between 35 & 26 On True line.
- 40.15 Set the temporary post at average Distance on true line for 1/2 Sec. corner - From which a Beech 10 In. Diam^r bears N 37 E 14 Chs. Another Beech 6 In. D^r bears S 45 W 13 Chs.
- 80.30 Sec. corner.
- North. Between Sec. 26 & 27
- 3.80 W. Ash 20 In. Diam^r.
- 40.00 Set a half mile post - From which a Sugar 10 In. Diam^r bears N 20 W 10 Chs & a Beech 10 In. Diam^r bears N 73 W 5 links.
- 41.20 B. Walnut 20 In. Diam^r.
- 80.00 Set post corner of Sec. N^o 26, 27, 22 & 23 - From which a Beech 6 In. Diam^r bears North 11 links & a Dogwood 7 In. Diam^r bears S 32 E 10 links - This mile Over Rich Rolling Land.
- East. Between Sec. 26 & 23 On Random.
- 8.50 Brook 10 links wide Course North.
- 40.00 Set a temporary half mile post.
- 57.63 Brook 10 links wide Course North.

Township N. 4 North Range N. 2 East of the Meridian Continued

- 30.00 Intersected the A.V.S. Line at Section Corner - Land level & Rich - Timber
Beech, Hickory, Locust & Walnut.
- West. Between 23 & 26 Blazing.
- 40.00 Established the temporary post at Average Distance for 1/2 Sec. Corner
From which a Hickory 10 Ins. D. bears N 60 E 29 Chs - Hackberry 2 1/2
N 42 W 13 links.
- 80.00 Sec. Corner.
- North Between Sec. 22 & 23.
- 21.50 Set post on bank of White River - From which a Cotton wood 6 Ins.
Diam. bears S 3 E 10 links - And a Maple 6 Ins. Diam. bears S 4 W 16 Chs
Land flat.
- West. Between Sec. 27 & 22
- 30.00 River Bottom.
- 40.00 Set a half mile post - From which a Hickory 15 Ins. Diam. bears N. 73
W. 7 Chs - B. Walnut 12 Ins. Diam. bears N. 80 E 32 Chs.
- 41.57 Set post on the Bank of W. River - From which a Locust 10 N 72 E 22 links
And a B. Walnut 6 Ins. D. bears S 9 E 16 Chs - This line over Rich
land Timber Beech, Hickory, Hackberry & Walnut - Underbrush
Spicewoods.
- November 10th 1806.
- West. Between Sec. 34 & 27.
- 40.00 Set a half mile post - From which a Beech 20 Ins. Diam. bears S 34 W
19 - And a Dogwood 7 N 54 W. 20 Chs.
- 43.00 Spring run S Chs. Course N. W.
- 44.25 Same Course S W.
- 72.00 Set post on the bank of W. River - From which a Sycamore 20 Ins.

Township N. 4 North Range N. 2 East of the Meridian Continued

- Diam. bears N 23 W 27 Chs - Another Sycamore 30 Ins. Diam. bears S 5 W
38 links - Land broken.
- North Between Sec. 33 & 34
- 1.00 Hickory 20 Ins. D.
- 5.00 Brook 40 Chs N. W.
- 39.00 Set an Elm 12 Ins. Diam. at the Intersection of the boundary on the bank
of W. River - This line over very Rich level land - Timber Ash, Oak &
Hackberry - Underbrush Spicewoods.
- North Between Sec. 32 & 33
- 3.25 Sycamore 20 Ins. Diam.
- 3.77 Set post on the Bank of W. River - From which a Maple 7 Ins. D. bears
N 36 E 6 links - Another Maple 8 Ins. Diam. bears S 51 W 9 Chs -
Land the same.
- North Between Sec. 31 & 32.
- 10.25 W. Oak 20 Ins. Diam.
- 35.00 Set post on the Indian boundary - From which a Beech 20 Ins. Diam. bears
S 7 E 25 links - And an Elm 8 Ins. Diam. bears S 42 W 14 Chs - Broken
Rich Land - Timber Sugar and beech
- November 12th 1806

Surveyed by

For Meanders of White River
See Vol. I N.E. page 27

Arthur Menrie
Deputy Surveyor.

Meanders in T. 4 N. R. 2 E. Continued.
Left bank continued.

Q.22 m	2.00	In sec. 22.	Q.86	6.45	
Q.52 m	3.50		Q.33 E	3.00	
Q.79 m	3.00		Q.13 E	7.00	
N.72 m	5.50		Q.17 m	2.06	
N.45 m	5.50		Q.27 m	6.02	
N.53 m	1.37	To old boundary line.	Q.38 m	4.50	
N.23 m	2.91		Q.29 m	1.81	
N.8 m	4.50		Q.56 m	4.21	line between sec 33 & 34.
N.12 E	6.16		Q.52 m	6.56	In sec 33.
N.28 E	3.27		Q.65 m	3.70	
N.48 m	3.05		Q.77 m	4.92	
N.83 m	7.24		Q.66 m	3.70	
Q.61 m	4.31		Q.52 m	3.23	
Q.25 m	6.33		Q.39 m	1.50	
Q.13 m	1.68		Q.16 m	7.00	
Q.24 m	3.77		Q.6 m	8.29	a creek 60 ft wide.
Q.2 m	8.44		Q.11 m	1.46	
Q.14 m	9.82		Q.11 m	4.95	
Q.35 m	3.76		Q.39 m	2.65	
Q.29 m	1.25	To old boundary again. "There are some courses & distances wanting to reach the line between sec 22 & 27." "S. m."	Q.70 m	.94	To post in S. boundary.
Q.22 m	8.07	In sec 27	N.60 m	4.07	In sec 33
Q.39 m	2.46		N.34 m	5.00	
Q.25 m	15.00		N.5 m	7.35	
Q.30 m	6.29		N.5 E	1.93	
Q.15 m	3.27		N.14 E	2.25	
South	6.15		N.15 m	6.16	
Q.11 m	10.76		N.51 m	2.50	
Q.4 E	1.00		N.77 m	2.50	
Q.12 m	2.30		Q.87 m	1.86	
Q.17 m	7.28		Q.63 m	14.39	
Q.29 m	2.82		Q.54 m	5.61	
Q.34 m	17.94		Q.46 m	16.11	To post in S. boundary.
Q.57 m	.59	line between sec 27 & 34			
Q.2 m	10.66	In sec 34 Line S. 180°	N.72 m	4.35	In sec 32.
			N.58 m	19.20	

Continued on page 348.

Township N. 4 North, Range N. 2 East 2nd Mer.

(Field Notes cont. from Vol. 1
N. 4 E. - page 111)

Range line - Var. 6°30' E
North Between Ranges 2 & 3 E Town 4 N
on East side of Sec. 24 & 25 R 3.
Began at old corner of sec. 24 & 25
40.00 old of Sec. post
44.00 To post on the river - South side
53.21 Set post on NW bank of river -
Red bud 8 S 15 N 7
Locust 20 N 8 E 24
80.00 Set post cor. of sec. 13 & 24

Hackberry 20 South 43
Elm 20 S 58 N 23
North On the East side of Sec. 13
30.00 A. Brook 20 in. diam.
40.00 gr. Sec. corner Beach 15 S 5 N 48
Elm 12 S 76 N 16
76.00 A. Spring run 3 lbs. S. W
80.00 Set post corner of Sec. 12 & 13
Beach 8 S 12 N 10
do 8 N 22 E 13
Land Rich & rolling. Poplar. Beach 1.

North On the East side of Sec. 12
28.00 A. Brook 4 lbs West
40.00 gr. Sec. corner Hickory 10 S 80 N 28
Beach 8 N 79 N 25
40.00 A. M. Oak 20 in. diam.
71.50 A. M. Oak 23 in. diam.
80.00 Set post corner to Sec. 18 & 12

M. Oak 15 S 23 N 7
Ironwood 6 S 8 E 40
Land Willy. Timber Oak & Hickory

North Line continued
5.50 A. Brook 10 lbs West
40.00 gr. Sec. corner Beach 8 S 58 E 11
do 6 N 55 N 4
72.00 A. Brook 12 lbs. S. W
77.00 Spruce S. E
80.00 Set post corner of Secs 4 & 5 in Range 2 & 3 E
Beach 6 S 34 N 7
Dogwood 6 S 51 N 13
Land Willy. Oak & Hickory
Surveyed by Arthur Morris D.S.

Town Line.
East Random on S. side of sec. 31
T. 4 N. R. 2 E.
40.00 Set temp. 14 post.
75.16 Tell A. of cor. to sec. 31 & 32.
West True line S. side sec. 31.
Var. 5°45' E.
40.00 Set 14 post. from which
Mulberry 20 S. 15 E 7
Hackberry 8 N 8 N 31
75.16 Town Corner.

Subdivisions Taken 4th R. 2 East		North	Between Sec. 19 & 20
North	Between Sec. 31 & 32	10.00	gr. Sec. Corner Beech 12 S 83 E 36 Hickory 18 South 5
40.00	gr. Sec. Corner Beech 6 S 3 E 36	56.65	Set post on the River Bank January 18 1844 do 9 S 8 E 34
	Poplar 7 S 49 E 10		Land Rich, timber Same
47.00	A. Beech 10 in. diam.	West	Between Sec. 19 & 20
80.00	Set post corner to Sec. 29, 30, 31, 32	3.00	A. Spring Run 5 lbs N. W
	Beech 20 S 5 N 24	15.80	A. Beech 20 in. diam.
	do 10 S 28 E 22	40.00	gr. Sec. Corner Beech 7 S 34 E 20 do 7 S 11 E 24
	Land Hilly, Beech, Poplar, Ash, Sugar P.	71.81	Intersected Mt. Boundary at the Sec. Corner
West	Between Sec. 30 & 31		Land level, Hickory, Ash, Walnut & Locust
40.00	gr. Sec. Corner Beech 12 S 36 N 23	South	Between Sec. 1 & 2
	do 7 S 79 N 21	15.00	A. Poplar 20 in. diam.
75.90	Set post on the West boundary 78 lbs. of post	40.00	gr. Sec. Corner Beech 6 North 2
	Hickory 8 S 29 E 16		do other trees
	Sugar 8 S 52 E 25	80.00	Set post corner to Sec. 1, 2, 11, 12
	Land the Same		Dogwood 6 S 16 E 5 Beech 18 S 18 E 32
East	Between Sec. 29 & 32		Land very Hilly, Oak, Hickory & some Chestnut
17.15	A. Hickory 20 in. diam.	East	Between Sec. 1 & 12 On Random
31.50	Set post on River bank Beech 24 S 82 N 31	40.00	Temporary gr. Sec. post
	do Walnut 12 S 82 E 10	48.50	A. Beech 12 lbs South
	Land the Same	80.25	Intersected Mt. S line 10 lbs S. of post
North	Between Sec. 29 & 30		Land & Timber Same
10.00	A. Beech 5 lbs East	West	Corrected
40.00	gr. Sec. Corner Beech 12 S 9 N 18	40.12 1/2	gr. Sec. Corner Ironwood 6 S 80 N 32
	Sugar 7 S 6 E 14		Beech 20 S 33 N 22
68.50	A. Sugar 18 in. diam.	80.25	Section Corner
80.00	Set post corner to Sec. 19, 20, 29, 30	South	Between Sec. 11 & 12
	Beech 10 S 20 E 22	40.00	gr. Sec. Corner W. Oak 15 S 7 E 26
	do 12 S 3 E 30		Dogwood 7 S 25 N 7
	Land the Same	80.00	Set post corner to Sec. 11, 12, 13, 14
East	Between Sec. 20 & 29		Beech 10 S 5 N 39
10.00	gr. Sec. Corner Hackberry 6 S 38 N 7		do 10 S 45 E 16
	do Walnut 12 S 38 E 7		Land level, Beech, Poplar &
46.30	A. W. Ash 14 in. Corner on the River		
	Land the Same		

East	Between Sec. 12 & 13 On Random	66.25	A. Sugar 18 in. diam.
40.00	Temporary gr. Sec. post	80.00	Set post corner to Sec. 2, 3, 10, 11
48.60	A. Beech 20 lbs South		Poplar 58 S 30 N 3
80.45	Intersected Mt. S line 35 lbs. South of post		Mulberry 8 S 76 E 6
	Land level, Beech, Poplar &		Good level land, Walnut, Ash &
West	Corrected	East	Between Sec. 2 & 11 On Random
40.22 1/2	gr. Sec. Corner Beech 15 S 18 E 7	13.50	A. Beech 10 lbs N. W
	do 20 S 69 N 24	40.00	Temporary gr. Sec. post
80.45	Section Corner	80.00	Intersected Mt. S line at the corner
South	Between Sec. 13 & 14		Land the Same
8.22	A. Beech 25 lbs. S. W	West	Corrected
40.00	gr. Sec. Corner Beech 10 S 41 E 12	40.60	gr. Sec. Corner Beech 20 S 87 N 28
	do 10 S 14 N 10		do 20 S 45 E 19
80.00	Set post corner to Sec. 13, 14, 23, 24	80.00	Section Corner
	Mulberry 20 S 11 N 48	South	Between Sec. 10 & 11
	Ironwood 8 S 5 E 30	40.00	gr. Sec. Corner Beech 10 S 33 N 12
	Land the Same		Dogwood 6 S 19 N 28
South	Between Sec. 23 & 24	80.00	Set post corner to Sec. 10, 11, 14, 15
1.50	A. Beech 25 lbs. S. E		Beech 10 S 41 N 25
18.24	To a Hickory 15 in. diam. corner on the River		Sugar 18 S 24 E 20
	Bank. Land the Same		Land Hilly, timber the Same
East	Between Sec. 13 & 24 On Random	East	Between Sec. 11 & 14 On Random
40.00	Temporary gr. Sec. post	40.00	Temporary gr. Sec. post
80.95	Intersected Mt. S line 60 lbs South of post	80.10	Ironwood Mt. S line 10 lbs South of post
	Land Rich & level		Land the Same
West	Corrected	West	Corrected
40.47 1/2	gr. Sec. Corner Hackberry 18 S 21 E 16	40.05	gr. Sec. Corner Sugar 10 S 65 E 14
	do 10 S 65 E 29		Yum 10 S 51 N 20
80.45	Section Corner	80.10	Section Corner
South	Between Sec. 24 & 25	South	Between Sec. 14 & 15
12.75	A. Beech 75 lbs. S. W	23.00	A. Beech 10 lbs. S. W
40.00	gr. Sec. post. Poplar 40 S 11 E 20	40.00	gr. Sec. Corner Beech 10 S 34 N 13
	Beech 10 S 40 E 31		Sugar 10 S 34 N 13
57.00	A. Beech 10 lbs West	72.40	A. W. Ash 20 in. diam.

80.00	Set post corner to Sec ^s 14, 15, 22, 23	West	Corrected
	W. Ash 10 S 67 E 11	40.00	q. Sec. corner Beech 10 S 29 N 12
	Walnut 10 S 55 N 17		Dogwood 6 S 84 E 15
	Land the same	80.00	Section corner
East	Between Sec ^s 14 & 23 On Random	South	Between Sec ^s 7 & 10
20.00	A. Brook 12 lks. South	40.00	q. Sec. corner W. Oak 20 S 77 E 11
40.00	Temporary q. Sec. post		Michery 10 S 62 N 19
72.00	A. Brook 75 lks. S. E.	80.00	Set post corner to Sec ^s 7, 10, 15, 16
80.85	Intersected N. S. line 12 lks. South of post		Maple 18 S 54 E 20
	Land level the best - Mile Rich		Beech 12 S 72 N 32
West	Corrected		Land very hilly
40.42 1/2	q. Sec. corner Sugar 20 S 65 N 10	East	Between Sec ^s 10 & 15 On Random
	do 18 S 82 E 12	3.00	A. Brook 10 lks. S. E.
80.85	Section corner	15.00	A. Brook 10 lks. South
South	Between Sec ^s 22 & 23	40.00	Temporary q. Sec. post
40.00	q. Sec. corner Michery 20 S 22 N 19	70.75	A. Brook 10 lks. South
	Mulberry 10 S 14 E 50	80.00	Intersected N. S. line 8 lks. South of post
49.50	A. Lynamore 40 in. diam.	West	Corrected
50.76	Set post on the River Bank	40.00	Temporary q. Sec. corner Beech 10 S 4 N 5
	Lynamore 30 S 74 E 16		do 10 S 51 N 16
	Mulberry 6 S 64 N 16	80.00	Section corner
	Land level & rich, Ash, Oak, Michery &c.	South	Between Sec ^s 15 & 16
South	Between Sec ^s 3 & 4	11.80	A. Beech 24 in. diam.
40.00	q. Sec. corner Ironwood 6 S 52 E 9	40.00	q. Sec. corner Beech 10 S 3 N 16
	Beech 8 S 13 N 22		do 9 S 15 N 22
78.00	A. Brook 75 lks. South	80.00	Set post corner to Sec ^s 15, 16, 21, 22
80.00	Set post corner to Sec ^s 3, 4, 9, 10		Beech 10 S 77 N 17
	Ironwood 6 S 32 E 10		Sugar 10 S 62 E 7
	do 4 S 64 N 12		Good farming land. Same timber. Very fine
	Land a very steep hill. Oak, Beech, Ash, Michery &c.	East	Between Sec ^s 15 & 22 On Random
East	Between Sec ^s 3 & 10 On Random	40.00	Temporary q. Sec. post
40.00	Temporary q. Sec. post	57.25	A. Brook 18 lks. South
80.00	Intersected N. S. line 15 lks. South of post	80.75	Intersected N. S. line 10 lks. South of post
	Land the same		Land the same

West	Corrected Between Sec ^s 15 & 22	South	Between Sec ^s 4 & 5
40.47 1/2	q. Sec. corner Beech 20 S 67 N 25	4.50	A. Brook 10 lks. West
	do 7 S 24 E 3	34.00	A. Brook 8 lks. North
80.95	Section corner	40.00	q. Sec. corner Chesnut 18 S 50 N 20
South	Between Sec ^s 21 & 22		Beech 6 S 47 N 4
40.00	q. Sec. corner Maple 20 S 22 E 15	50.25	A. W. Oak 10 in. diam.
	Ironwood 8 S 86 N 7	80.00	Set post corner to Sec ^s 4, 5, 8, 9
80.00	Set post corner to Sec ^s 21, 22, 27, 28		Beech 12 S 71 N 22
	Maple 12 S 20 N 39		W. Ash 12 S 42 E 25
	Beech 20 S 80 E 16		Land very hilly timber the same
	Land level & rich timber the same	East	Between Sec ^s 4 & 9 On Random
East	Between Sec ^s 22 & 27	40.00	Temporary q. Sec. post
36.67	Set post on the River Bank	60.00	A. Brook 75 lks. S. W.
	Michery 10 S 13 N 5	80.00	Intersected N. S. line 12 lks. South of post
	do 6 S 55 E 10		Land the same
	Land the same	West	Corrected
South	Between Sec ^s 27 & 28	40.00	q. Sec. corner Beech 10 S 68 N 29
25.00	A. Oak 5 lks. S. W.		Sugar 10 S 44 E 25
40.00	q. Sec. corner W. Oak 12 S 18 E 9	80.00	Section corner
	Michery 10 S 69 N 7	South	Between Sec ^s 8 & 9
42.50	Sh. Elm 12 in. diam.	40.00	q. Sec. corner W. Oak 18 S 38 E 13
80.00	Set post corner to Sec ^s 27, 28, 33, 34		do 9 S 61 N 17
	Michery 10 S 26 E 20	80.00	Set post corner to Sec ^s 8, 9, 16, 17
	Ironwood 6 S 8 N 17		Beech 20 S 53 N 9
	Land the same		do 12 S 8 N 26
East	Between Sec ^s 27 & 34		Land the same
6.72	Set post on the River Bank	East	Between Sec ^s 9 & 16 On Random
	Beech 12 S 21 E 6	7.50	A. Brook 75 lks. South
	Ironwood 6 S 14 N 5	40.00	Temporary q. Sec. post
	Land the same	80.00	Intersected N. S. line 12 lks. North of post
South	Between Sec ^s 33 & 34		Land the same
8.00	A. Beech 24 in. diam.	West	Corrected
35.74	Set post on the River Bank	40.00	q. Sec. corner Michery 10 S 22 N 17
	Cottonwood 8 S 72 E 66		Maple 12 S 17 N 23
	Land the same	80.00	Section corner

South Between Secs 16 & 17
 12.00 A. Brook 100 lbs S.W.
 40.00 gr. Sec. Corner N. Oak 10 S 26 E 5
 do 9 S 17 N 24
 54.10 Am. Ash 24 in. diam.
 70.50 Set post on River Bank, Bar. Clear 12 S 17 E 24
 B. Walnut 10 S 80 N 23
 Land the same. Hills
 West Between Secs 28 & 33
 40.00 gr. Sec. Corner in Pond 4 Chains Wide
 50.00 Set post corner to Secs 28, 29, 33, 34
 Logwood 7 S 10 E 8
 Beech 28 S 78 N 31
 Land hills & creek, Beech, Hickory & Beech
 West Between Secs 29 & 32
 30.21 The River Bank Sugar 8 S 8 N 13
 do 10 S 49 N 12
 Land the same
 South Between Secs 32 & 33
 14.50 A. Brook 10 lbs West
 40.00 gr. Sec. Corner 6 S 53 N 28
 do 6 S 34 N 32
 66.56 Set post on the River Bank
 Walnut 20 South 1
 Land the same
 North Between Secs 28 & 29
 16.50 A. Brook 10 lbs West
 40.00 gr. Sec. Corner Beech 6 S 44 E 3
 Sugar 10 S 60 N 27
 80.00 Set post corner to Secs 20, 21, 28, 29
 N. Ash 20 S 34 E 16
 Hickory 15 S 83 N 20
 Land the same
 East Between Secs 21 & 28 On Randon
 40.00 Temporary gr. Sec. post
 45.00 A. pond 4 chains S 8 S

59.50 N. Pond 5 chains S 8 S
 80.00 Intersected N 8 S line at the corner
 Land the same
 West Corrected
 40.02 gr. Sec. Corner N. Oak 38 S 17 E 33
 Sugar 6 S 63 N 12
 80.05 Section Corner
 West Between Secs 20 & 29
 18.59 Set post on River Bank
 Oak 8 S 36 E 18
 N. Oak 8 S 48 N 16
 North Between Secs 20 & 21
 14.50 Set post on the River Bank
 N. Oak 20 S 63 N 13
 Ironwood 10 S 85 E 15
 Land the same
 West Between Secs 16 & 21
 40.00 gr. Sec. Corner Beech 24 S 65 N 27
 do 6 S 4 E 13
 67.50 Set post on River Bank
 Ironwood 8 S 41 E 18
 Oak 10 S 22 E 29
 Land hills, Beech, Poplar & V.
 South Between Secs 5 & 6
 40.00 gr. Sec. Corner Beech 8 S 12 E 31
 Hickory 6 S 70 E 6
 42.50 A. Brook 10 lbs East
 80.00 Set post corner to Secs 5, 6, 7, 8
 Beech 8 S 58 N 14
 do 8 S 5 E 21
 Land hills, Beech, Poplar, Oak & Hickory
 East Between Secs 5 & 8 On Randon
 40.00 Temporary gr. Sec. post
 55.00 A. Brook 5 lbs South
 80.00 Intersected N 8 S line 10 lbs S. of post
 Land the same

West Corrected Between Secs 5 & 8
 40.00 gr. Sec. Corner N. Ash 8 S 40 E 24
 Cherry 10 S 61 E 7
 80.00 Section Corner
 West Between Secs 6 & 7
 3.50 A. Poplar 20 in. diam.
 40.00 gr. Sec. Corner Beech 5 S 57 E 3
 Ash 12 S 57 N 6
 70.55 Set post on the West Boundary of the S. of post
 Beech 18 S 47 E 7
 do 18 S 36 N 14
 Land hills, Beech, Poplar, Oak & Hickory
 South Between Secs 7 & 8
 40.00 gr. Sec. Corner Beech 10 S 24 E 13
 do 20 S 1 N 12
 47.80 A. Brook 75 lbs S.W.
 80.00 Set post corner to Secs 7, 8, 17, 18
 Beech 5 S 12 N 12
 do 6 S 18 E 14
 Land the same
 East Between Secs 8 & 17 On Randon
 40.00 Temporary gr. Sec. post
 80.40 Intersected N 8 S line 12 lbs S. of post
 Land the same
 West Corrected
 40.22 gr. Sec. Corner N. Ash 11 S 55 E 139
 80.45 Section Corner
 West Between Secs 7 & 18
 14.00 A. Sugar 18 in. diam.
 40.00 gr. Sec. Corner Beech 6 S 4 E 5
 do 8 S 58 N 7
 48.00 A. Brook 75 lbs South
 59.11 Set post on the N. Boundary 13 lbs S. of post
 Beech 10 S 63 E 23
 do 20 S 63 N 10
 Land the same

South Between Secs 17 & 18
 18.20 A. N. Ash 12 in. diam.
 27.00 A. Brook 75 lbs S.W.
 40.00 gr. Sec. Corner Sugar 12 S 60 E 11
 do 10 S 69 N 15
 80.00 Set post corner to Secs 17, 18, 19, 20
 Beech 8 S 15 N 10
 do 6 S 30 N 9
 Land the same
 East Between Secs 17 & 20
 28.25 Set post on the River Bank
 N. Ash 20 S 59 N 34
 Spruce 24 S 77 E 7
 Land very hills
 South Between Secs 19 & 20
 22.18 To a Beech on the River Bank 10 in. diam.
 Land the same
 West Between Secs 18 & 19
 40.00 gr. Sec. Corner Beech 20 S 38 N 18
 do 6 S 60 N 18
 68.64 Set post on the N. Boundary 188 lbs S. of post
 Sugar 6 S 7 N 23
 do 10 S 50 E 38
 Land V. the same
 Surveyed by Arthur. Vance D.S.
 { In Meanders of White River in
 this Town, see this Vol. pages
 247 & 248 }

South Between Secs 16 & 17
 13.00 H. Brook 100 lbs S.W.
 40.00 gr. Sec. Corner N. Oak 10 S 26 E 5
 do 9 S 17 N 24
 57.10 M. Ash 24 in. diam.
 70.50 Set post on River Bank, Bar. Elm 12 S 70 E 24
 do Walnut 10 S 80 N 23
 Same the Same. Wilg
 West Between Secs 28 & 33
 40.00 gr. Sec. Corner in a Pond 4 Chains N.W.
 50.00 Set post corner to Secs 28, 29, 30, 34
 do Sugar 7 S 10 E 8
 do Beech 28 S 78 N 31
 Same hilly. Birch, Hickory & Beech
 West Between Secs 29 & 32
 30.21 The River Bank Sugar 8 S 8 N 13
 do 10 S 69 N 12
 Same the Same
 South Between Secs 32 & 33
 14.50 H. Brook 10 lbs West
 40.00 gr. Sec. Corner do 6 S 53 N 28
 do 6 S 34 N 32
 66.56 Set post on the River Bank
 do Walnut 20 South 1
 Same the Same
 North Between Secs 32 & 28 & 29
 26.50 H. Brook 10 lbs West
 40.00 gr. Sec. Corner Beech 6 S 44 E 3
 do Sugar 10 S 60 N 27
 80.00 Set post corner to Secs 20, 21, 23, 29
 do N. Ash 20 S 34 E 16
 do Hickory 15 S 83 N 20
 Same the Same
 East Between Secs 21 & 28 On Random
 40.00 Temporary gr. Sec. post
 45.00 H. pond 4 chains N.W.

59.50 H. Pond 3 chains N.W.
 80.00 Intersected N.W. line at the corner
 Same the Same
 West Corrected
 40.02 gr. Sec. Corner N. Oak 38 S 67 E 33
 do Sugar 6 S 63 N 12
 80.05 Section Corner
 West Between Secs 20 & 29
 18.59 Set post on River Bank
 do Red Oak 8 S 36 E 18
 do N. Oak 8 S 68 N 16
 North Between Secs 20 & 21
 14.50 Set post on the River Bank
 do N. Oak 20 S 63 N 13
 do Ironwood 10 S 85 E 15
 Same level
 West Between Secs 16 & 21
 40.00 gr. Sec. Corner Beech 24 S 65 N 27
 do 6 S 74 E 13
 67.50 Set post on River Bank
 do Ironwood 8 S 41 E 18
 do Red Pine 10 S 22 E 29
 Same hilly. Birch, Poplar & Hickory
 South Between Secs 5 & 6
 40.00 gr. Sec. Corner Beech 8 S 12 E 31
 do Hickory 6 S 70 E 6
 42.50 H. Brook 10 lbs East
 80.00 Set post corner to Secs 5, 6, 7, 8
 do Beech 8 S 58 N 14
 do 8 S 5 E 21
 Same hilly. Birch, Poplar, Oak & Hickory
 East Between Secs 5 & 8 On Random
 40.00 Temporary gr. Sec. post
 55.00 H. Brook 5 lbs South
 80.00 Intersected N.W. line 10 lbs S. of post
 Same the Same

West Corrected Between Secs 5 & 8
 40.00 gr. Sec. Corner N. Ash 8 S 40 E 14
 do Cherry 10 S 61 E 7
 80.00 Section Corner
 West Between Secs 6 & 7
 3.50 H. Poplar 20 in. diam.
 40.00 gr. Sec. Corner Beech 5 S 57 E 3
 do Ash 12 S 57 N 6
 70.55 Set post on the West Boundary of this lot
 do Beech 18 S 75 E 7
 do 18 S 36 N 14
 Same hilly. Birch, Poplar, Oak & Hickory
 South Between Secs 7 & 8
 40.00 gr. Sec. Corner Beech 10 S 24 E 13
 do 20 S 1 N 12
 47.80 H. Brook 75 lbs S.W.
 80.00 Set post corner to Secs 7, 8, 17, 18
 do Beech 5 S 2 N 12
 do 6 S 18 E 14
 Same the Same
 East Between Secs 8 & 17 On Random
 40.00 Temporary gr. Sec. post
 80.45 Intersected N.W. line 12 lbs S. of post
 Same the Same
 West Corrected
 40.22 gr. Sec. Corner N. Ash - N 85 E 139
 80.45 Section Corner
 West Between Secs 7 & 18
 14.00 H. Sugar 18 in. diam.
 40.00 gr. Sec. Corner Beech 6 S 4 E 5
 do 8 S 58 N 7
 48.00 H. Brook 75 lbs South
 59.11 Set post on the N. Boundary 37 lbs S. of post
 do Beech 10 S 63 E 23
 do 20 S 63 N 10
 Same the Same

South Between Secs 17 & 18
 18.20 H. N. Ash 12 in. diam.
 27.00 H. Brook 75 lbs S.W.
 40.00 gr. Sec. Corner Sugar 12 S 60 E 11
 do 10 S 69 N 15
 80.00 Set post corner to Secs 17, 18, 19, 20
 do Beech 8 S 15 N 10
 do 6 S 30 N 9
 Same the Same
 East Between Secs 17 & 20
 28.25 Set post on the River Bank
 do N. Ash 20 S 59 N 34
 do Spruce 24 S 77 E 7
 Same very hilly
 South Between Secs 19 & 20
 22.18 To a Beech on the River Bank 10 in. diam.
 Same the Same
 West Between Secs 18 & 19
 40.00 gr. Sec. Corner Beech 20 S 38 N 18
 do 6 S 60 N 18
 68.64 Set post on the N. Boundary 188 lbs S. of post
 do Sugar 6 S 7 N 23
 do 10 S 80 E 38
 Same the Same
 Surveyed by Arthur. Harris & S
 { In Meanders of White River in
 this Town. See this Vol. pages
 247 & 248 }